



Product Portfolio




GAMMA ILLUMINATION

PRODUCT PORTFOLIO

Welcome to the 2017 edition of our Product Portfolio which is designed to give an overview of the product ranges we manufacture.

For full product details, including datasheets, technical information, photometric and BIM files, please visit www.gamma-uk.com or call us on +44 (0)1924 482777.



BRIGHT IDEAS BEING
PROUDLY DESIGNED
AND MANUFACTURED
IN THE UK



THE SPARK BEHIND GAMMA

DESIGN AND MANUFACTURING

Gamma Illumination is a UK designer and manufacturer of low energy lighting solutions. Our team of passionate designers and engineers draws inspiration from the latest technologies, materials and trends. Our manufacturing team pays particular attention to detail and quality in order to meet our high standards of excellence. Deeply rooted in Gamma's ethos is the fusion of good quality and good value without compromise.

TECHNOLOGY AND TESTING

In our pursuit of excellence, each of our products goes through rigorous in-house testing processes including electromagnetic compatibility, electrical, thermal data validation and photometry in state-of-the-art testing laboratories. Our close relationships with suppliers allows us to adopt the latest lighting technologies quickly, which in turn helps our clients benefit from ongoing industry improvements.




FLEXIBILITY

Our company-wide flexible approach ensures that we are highly adaptable to your requirements. We listen, learn and understand your vision to help deliver standard or bespoke products that help you achieve your aspirations for each project.



OUR STORY

With a company history spanning more than 20 years, Gamma has a wealth of experience working with many well-known retail brands and private and public sector organisations. Over this time much has changed, yet one constant remains: our passion and love for creating high quality, good value lighting solutions that incorporate the latest technologies.



CONTENTS

SYNCR0



FC
Page 9



FD
Page 11




FE
Page 13



ADI
Page 15



ACD
Page 17



TOPAZ



ACB
Page 21





TRIMLESS
Page 23



ACJ
Page 25



TRIMLESS
Page 27



GREAT WHITE®



OPEN
Page 31



HI-LIGHT
Page 33



HALO
Page 35



IP54
Page 37



IP65
Page 39



TRIMLESS
Page 41

SYSION



OPEN
Page 45



HI-LIGHT
Page 47



HALO
Page 49



IP54
Page 51



IP65
Page 53



LOW PROFILE
Page 55

TITAN



OPEN
Page 59





OPEN
Page 59



IP65
Page 61




ASYMMETRIC
Page 63




RECESSED




SS
Page 67



ABE
Page 69



ADB
Page 71



AEB
Page 73



ADJ
Page 75



ADA
Page 77

GYRO



FRAMELIGHTS
Page 81



FRAMELIGHTS
Page 83



FRAMELIGHTS
Page 85



GIMBAL
Page 87



SCOOP
Page 89


TRACK



LINGO®
Page 93




LINGO®
Page 95



JINGO
Page 97



JINGO
Page 97



JANGO
Page 99



JANGO
Page 99


SURFACE



DELA
Page 103



FREESTYLE®
Page 105



RAPIER®
Page 107



GYRO
Page 109



AJI
Page 111



DURO
Page 113


PENDANTS



DELA
Page 117



FREESTYLE®
Page 119



RAPIER®
Page 121



ECHO
Page 123



DEMO
Page 125



ID
Page 127

DECORATIVE



TERCIO
Page 131



VIRO
Page 133



ABF
Page 135



ABG
Page 137



DECO DOME
Page 139




DECO TAPE
Page 141

EMERGENCY



I.L.E.M.
Page 145



S.P.C.
Page 147



EM CONVERSION
Page 149



EMi CONVERSION
Page 151



SIGNAGE
Page 153



FC
Page 9



FC
Page 9



FD
Page 11



ACD
RETRO-FIT MODULE
Page 17



FE
Page 13



ADI
Page 15



ADI
Page 15

SYNCR0



Syncro is a high-end, great value-for-money range of downlights with a variety of finishes, accessories and variants, ideal for decorative, residential and hospitality applications.



SYNCRO FC



Black



Brushed aluminium



White

PRODUCT CODE: FC

TRIDONIC PRODUCT VARIANTS:

2700 K, 3000 K or 4000 K
 Ra 80 or Ra 90
 Up to 713 llm
 Fixed output, SwitchDIM, DALI or DSI

PANASONIC PRODUCT VARIANTS:

3000 K or 4000 K
 Ra 85
 Up to 915 llm
 Fixed output, SwitchDIM, DALI or DSI

This fully adjustable, high quality LED downlight is ideal for display or accent lighting. Its die-cast body features a unique locking function and the in-house designed heatsink encapsulates a multi-faceted reflector and IP44 protective lens. Available with a range of options and variants, the Syncro FC offers great performance and flexibility.

CONSTRUCTION


Heatsink	Die-cast aluminium
Body / bezel	Die-cast aluminium
Reflector	Polycarbonate
Lens	Polycarbonate sealed to IP44

FINISH

Heatsink	Aluminium
Body / bezel	White, black or brushed aluminium


OPTIONS & ACCESSORIES

Emergency options
 Narrow or medium beam





Full information at www.gamma-uk.com

or call +44 (0)1924 482777



SYNCRO FD



PRODUCT CODE: FD

TRIDONIC PRODUCT VARIANTS:

2700 K, 3000 K or 4000 K
Ra 80 or Ra 90
Up to 713 llm
Fixed output, SwitchDIM, DALI or DSI

PANASONIC PRODUCT VARIANTS:

3000 K or 4000 K
Ra 85
Up to 915 llm
Fixed output, SwitchDIM, DALI or DSI

The Syncro FD offers all the performance benefits, options and accessories of the FC and is also available in twin and triple versions for added light output and flexibility. A square or rectangular brushed aluminium trim contrasts subtly with the polished curve of the gimbal, creating a sophisticated finish that will bring sparkle to a multitude of applications.

CONSTRUCTION


Heatsink	Die-cast aluminium
Body / bezel	Die-cast aluminium
Reflector	Polycarbonate
Lens	Polycarbonate sealed to IP44

FINISH

Heatsink	Aluminium
Body / bezel	Brushed aluminium

OPTIONS & ACCESSORIES

Emergency options
Narrow or medium beam



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



SYNCRO FE



PRODUCT CODE: FE

TRIDONIC PRODUCT VARIANTS:

2700 K, 3000 K or 4000 K
Ra 80 or Ra 90
Up to 713 llm
Fixed output, SwitchDIM, DALI or DSI

PANASONIC PRODUCT VARIANTS:

3000 K or 4000 K
Ra 85
Up to 915 llm
Fixed output, SwitchDIM, DALI or DSI

The Syncro FE combines the core technologies of the FC with a glossy alpine white or piano black acrylic trim to bring a sleek and elegant look to every application. Available in single and twin versions, it offers all the options and variants that have made the Syncro range popular with our customers, together with a sophisticated finish that will make your lighting scheme truly shine.

CONSTRUCTION


Heatsink	Die-cast aluminium
Body	Die-cast aluminium
Bezel	Acrylic
Reflector	Polycarbonate
Lens	Polycarbonate sealed to IP44

FINISH

Heatsink	Aluminium
Body	White, black or brushed aluminium
Bezel	Alpine white or piano black

OPTIONS & ACCESSORIES

Emergency options
Narrow or medium beam



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



SYNCRO ADI



Black



Brushed



White

PRODUCT CODE: ADI

PRODUCT VARIANTS:

3000 K or 4000 K

Ra 80

Up to 587 llm

Fixed output, SwitchDIM, DALI or DSI

This compact fire rated downlight offers many performance benefits, options and variants with the added advantage of IP65 protection. This makes the ADI suitable for applications where ingress of dust and water may be a concern.

CONSTRUCTION

Heatsink	Die-cast aluminium
Bezel	Steel
Reflector	Anodised aluminium
Lens	Glass

FINISH

Heatsink	Black
Bezel	White, black or brushed

FIRE RATING


FR90 - 90 minutes

INGRESS PROTECTION RATING

IP65


OPTIONS & ACCESSORIES

Emergency options



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



THE PROFESSIONAL LED UPGRADE FROM MR16 AND GU10 LAMPS



EMERGENCY
CONVERSION
OPTIONS



NARROW AND
MEDIUM BEAM
OPTIONS



COLOUR
TEMPERATURE
OPTIONS



INCREASED
EFFICIENCY




REMOTE DRIVER
FOR LONGER LIFE



FLICKER FREE
DIMMING OPTION

SYNCHRO ACD



Retrofit module

PRODUCT CODE: ACD

PRODUCT VARIANTS:

2700 K, 3000 K or 4000 K

Ra 80 or Ra 90

Up to 837 llm

Fixed output, SwitchDIM, DALI or DSI

Designed as a high quality replacement module for existing inefficient halogen lamps and providing improved performance over LED retrofit lamps, the ACD offers impressive outputs together with a range of options and variants that will enable you to upgrade your scheme to the highest standards.

CONSTRUCTION

Heatsink	Die-cast aluminium
Reflector	Polycarbonate
Lens	Polycarbonate sealed to IP44


FINISH

Heatsink	Aluminium
----------	-----------

OPTIONS & ACCESSORIES

Emergency option

Narrow or medium beam



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



ACB
Page 21



ACC
Page 21



TRIMLESS
Page 23



TRIMLESS
Page 23



ACJ
Page 25



ACA
Page 25



TRIMLESS
Page 27



TRIMLESS
Page 27

TOPAZ




The Topaz concept was originally developed 20 years ago as a high-end range of architectural downlights and proved hugely popular in its original CFL form. The range has been constantly evolving and now features the extended life, energy saving and miniaturisation benefits of the very latest LED technology.



TOPAZ ACB



Softlight baffle

Asymmetric **ACC**

Darklight baffle

PRODUCT CODE: **ACB**

PRODUCT VARIANTS:

2700 K, 3000 K or 4000 K
Ra 80 or Ra 90
Up to 874 llm
Fixed output, SwitchDIM, DALI or DSI

This low glare architectural mini-downlight is a firm favourite amongst architects and specifiers. Its superior quality die-cast body incorporates a discreet low profile bezel for a stylish minimal look. The efficient in-house designed heatsink, multi-faceted reflector, premium LED module and optimised driver all ensure that it delivers on performance as well as style.

CONSTRUCTION


Heatsink	Die-cast aluminium
Bezel	Die-cast aluminium
Reflector	Polycarbonate
Lens	Polycarbonate sealed to IP44

FINISH

Heatsink	Black
Bezel	White
Baffle	Darklight / black or softlight / white

OPTIONS & ACCESSORIES

Emergency options
Narrow or medium beam
Casambi / Bluetooth® wireless network



Full information at www.gamma-uk.com

or call **+44 (0)1924 482777**





TOPAZ ACB

TRIMLESS



Softlight baffle

Asymmetric **ACC/PI**

Darklight baffle

PRODUCT CODE: **ACB/PI**

PRODUCT VARIANTS:

2700 K, 3000 K or 4000 K
 Ra 80 or Ra 90
 Up to 874 llm
 Fixed output, SwitchDIM, DALI or DSI

This trimless ACB provides seamless integration into plasterboard ceilings, bringing a clean and minimal style to each application and facilitating a highly professional finish that doesn't compromise the décor.

CONSTRUCTION


Heatsink	Die-cast aluminium
Bezel	Die-cast aluminium
Reflector	Polycarbonate
Lens	Polycarbonate sealed to IP44

FINISH

Heatsink	Black
Bezel	White
Baffle	Darklight / black or softlight / white

OPTIONS & ACCESSORIES

Emergency options
 Narrow or medium beam
 Casambi / Bluetooth® wireless network




Full information at www.gamma-uk.com

or call **+44 (0)1924 482777**



TOPAZ ACJ



PRODUCT CODE: ACJ

PRODUCT VARIANTS:

2700 K, 3000 K or 4000 K
Ra 80 or Ra 90
Up to 895 llm
Fixed output, SwitchDIM, DALI or DSI

This low glare architectural mini-downlight is a firm favourite amongst architects and specifiers. Its superior quality die-cast body incorporates a discreet low profile bezel for a stylish minimal look. The efficient in-house designed heatsink, multi-faceted reflector, premium LED module and optimised driver all ensure that it delivers on performance as well as style.

CONSTRUCTION


Heatsink	Die-cast aluminium
Bezel	Die-cast aluminium
Reflector	Polycarbonate
Lens	Polycarbonate sealed to IP44

FINISH

Heatsink	Black
Bezel	White
Baffle	Darklight / black or softlight / white


OPTIONS & ACCESSORIES

Emergency options
Narrow or medium beam



Full information at www.gamma-uk.com

or call +44 (0)1924 482777




TOPAZ ACJ

TRIMLESS



Softlight baffle

Asymmetric **ACA/PI**

Darklight baffle

PRODUCT CODE: **ACJ/PI**

PRODUCT VARIANTS:

2700 K, 3000 K or 4000 K
 Ra 80 or Ra 90
 Up to 895 llm
 Fixed output, SwitchDIM, DALI or DSI

This trimless ACJ provides seamless integration into plasterboard ceilings, bringing a clean and minimal style to each application and facilitating a highly professional finish that doesn't compromise the décor.

CONSTRUCTION


Heatsink	Die-cast aluminium
Bezel	Die-cast aluminium
Reflector	Polycarbonate
Lens	Polycarbonate sealed to IP44

FINISH

Heatsink	Black
Bezel	White
Baffle	Darklight / black or softlight / white

OPTIONS & ACCESSORIES

Emergency options
 Narrow or medium beam



Full information at www.gamma-uk.com

or call **+44 (0)1924 482777**



OPEN
Page 31



HI-LIGHT
Page 33



HALO
Page 35



IP54
Page 37



IP65
Page 39



TRIMLESS
Page 41

GREAT WHITE®



This comprehensive range of professional high-output recessed downlights is available with a selection of reflector styles and beam angles, making it ideal for ambient and display lighting in retail, commercial, public and leisure applications. It features a 130 mm twist and lock bezel which can accept a number of functional and decorative accessories for additional style and customisation.



GREAT WHITE®

OPEN



PRODUCT CODE: **TTX** **PHILIPS**

3000 K or 4000 K
Ra 80 or Ra 90
Up to 2803 llm
Fixed output or Touch Dimming / DALI

PRODUCT CODE: **TTT** **TRIDONIC**

3000 K or 4000 K
Ra 80 or Ra 90
Up to 3403 llm
Fixed output, SwitchDIM, DALI or DSI

PRODUCT CODE: **TTX** **XICATO**

2700 K, 3000 K or 4000 K
Ra >80 or Ra >95
Up to 2559 llm
Fixed output, SwitchDIM, DALI or DSI

This professional, high quality LED downlight has been designed to be under 100 mm in height, offering exceptional performance and flexibility. It features a highly effective in-house designed heatsink and multi-faceted reflector, all expertly optimised to offer excellent luminaire efficacy. Also featuring an interchangeable die-cast twist and lock bezel, it is available with an extensive range of options and variants.

CONSTRUCTION


Heatsink	Die-cast aluminium
Twist & lock bezel	Die-cast aluminium
Reflector	Anodised aluminium

FINISH

Heatsink	Black
Twist & lock bezel	White, chrome, brushed aluminium or black

OPTIONS & ACCESSORIES

Emergency options
Decorative accessories
Tunable white
Artist, Vibrant or Beauty



Full information at www.gamma-uk.com

or call **+44 (0)1924 482777**



GREAT WHITE®

HI-LIGHT ACCESSORY



PRODUCT CODE: **TTS** **PHILIPS**

3000 K or 4000 K
Ra 80 or Ra 90
Fixed output or Touch Dimming / DALI

PRODUCT CODE: **TTT** **TRIDONIC**

3000 K or 4000 K
Ra 80 or Ra 90
Fixed output, SwitchDIM, DALI or DSI

PRODUCT CODE: **TTX** **XICATO**

2700 K, 3000 K or 4000 K
Ra >80 or Ra >95
Fixed output, SwitchDIM, DALI or DSI

This aesthetically pleasing hi-light accessory, available in a variety of colours, has been designed to add visual interest to the ceiling. It is also used to soften the edges of the beam to create a pleasant diffused lighting effect.

CONSTRUCTION


Heatsink	Die-cast aluminium
Twist & lock bezel	Die-cast aluminium
Reflector	Anodised aluminium

FINISH

Heatsink	Black
Twist & lock bezel	White, chrome, brushed aluminium or black

OPTIONS & ACCESSORIES

Emergency options
Decorative accessories
Tunable white
Artist, Vibrant or Beauty



Full information at www.gamma-uk.com

or call **+44 (0)1924 482777**



GREAT WHITE®

HALO ACCESSORY



PRODUCT CODE: **TTS** **PHILIPS**

3000 K or 4000 K
Ra 80 or Ra 90
Fixed output or Touch Dimming / DALI

PRODUCT CODE: **TTT** **TRIDONIC**

3000 K or 4000 K
Ra 80 or Ra 90
Fixed output, SwitchDIM, DALI or DSI

PRODUCT CODE: **TTX** **XICATO**

2700 K, 3000 K or 4000 K
Ra >80 or Ra >95
Fixed output, SwitchDIM, DALI or DSI

This vertical halo provides a stunning decorative addition to the Great White range. Produced from injection moulded polycarbonate, with a frosted or optional blue finish, this accessory creates an attractive halo effect and a subtle horizontal glow, whilst providing maximum downward light output.

CONSTRUCTION


Heatsink	Die-cast aluminium
Twist & lock bezel	Die-cast aluminium
Reflector	Anodised aluminium

FINISH

Heatsink	Black
Twist & lock bezel	White, chrome, brushed aluminium or black

OPTIONS & ACCESSORIES

Emergency options
Decorative accessories
Tunable white
Artist, Vibrant or Beauty



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



GREAT WHITE®

IP54 ACCESSORY



Specular -SP



Satin -SA



Centre etched glass

PRODUCT CODE: TTS **PHILIPS**

3000 K or 4000 K
Ra 80 or Ra 90
Fixed output or Touch Dimming / DALI

PRODUCT CODE: TTT **TRIDONIC**

3000 K or 4000 K
Ra 80 or Ra 90
Fixed output, SwitchDIM, DALI or DSI

PRODUCT CODE: TTX **XICATO**

2700 K, 3000 K or 4000 K
Ra >80 or Ra >95
Fixed output, SwitchDIM, DALI or DSI

This functional yet elegant IP54 glass accessory is made from toughened safety glass providing protection against dust and water ingress. It is ideal for a range of applications including workshops, changing rooms and food preparation areas. In addition to the centre etched glass, other options and finishes are available.

CONSTRUCTION


Heatsink	Die-cast aluminium
Twist & lock bezel	Die-cast aluminium
Reflector	Anodised aluminium

FINISH

Heatsink	Black
Twist & lock bezel	White, chrome, brushed aluminium or black

OPTIONS & ACCESSORIES

Emergency options
Decorative accessories
Tunable white
Artist, Vibrant or Beauty



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



GREAT WHITE®

IP65 / IK10 BEZEL



PRODUCT CODE: **TTS** **PHILIPS**

3000 K or 4000 K
Ra 80 or Ra 90
Fixed output or Touch Dimming / DALI

PRODUCT CODE: **TTT** **TRIDONIC**

3000 K or 4000 K
Ra 80 or Ra 90
Fixed output, SwitchDIM, DALI or DSI

PRODUCT CODE: **TTX** **XICATO**

2700 K, 3000 K or 4000 K
Ra >80 or Ra >95
Fixed output, SwitchDIM, DALI or DSI

This dedicated IP65 sealed bezel provides high quality protection against dust and water ingress and a high level of impact resistance. It features a polycarbonate lens and a moulded U shaped cyclone gasket. A great choice for a range of applications including bathrooms, wet rooms, food preparation areas and under-canopy locations.

CONSTRUCTION


Heatsink	Die-cast aluminium
Twist & lock bezel	Die-cast aluminium
Reflector	Anodised aluminium

FINISH

Heatsink	Black
Twist & lock bezel	White, chrome, brushed aluminium or black

OPTIONS & ACCESSORIES

Emergency options
Decorative accessories
Tunable white
Artist, Vibrant or Beauty




Full information at www.gamma-uk.com

or call **+44 (0)1924 482777**



GREAT WHITE®

TRIMLESS



PRODUCT CODE: **TTS** **PHILIPS**

3000 K or 4000 K
Ra 80 or Ra 90
Fixed output or Touch Dimming / DALI

PRODUCT CODE: **TTT** **TRIDONIC**

3000 K or 4000 K
Ra 80 or Ra 90
Fixed output, SwitchDIM, DALI or DSI

PRODUCT CODE: **TTX** **XICATO**

2700 K, 3000 K or 4000 K
Ra >80 or Ra >95
Fixed output, SwitchDIM, DALI or DSI

Designed to offer seamless architectural integration into plasterboard ceilings, the Great White trimless option is ideal for those wanting to create a clean and minimal style lighting scheme for their application. The plaster-in kit features a flame retardant polycarbonate body, providing a discreet architectural lighting solution.

CONSTRUCTION


Heatsink	Die-cast aluminium
Twist & lock bezel	Die-cast aluminium
Reflector	Anodised aluminium

FINISH

Heatsink	Black
Twist & lock bezel	White, chrome, brushed aluminium or black

OPTIONS & ACCESSORIES

Emergency options
Decorative accessories
Tunable white
Artist, Vibrant or Beauty



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



OPEN
Page 45



HI-LIGHT
Page 47




HALO
Page 49



IP54
Page 51



IP65
Page 53



LOW PROFILE
Page 55

SYSION



The Sysion range is the epitome of performance, output and value. Designed to incorporate a variety of LED modules and with a choice of reflector finishes and decorative accessories, the Sysion range is a flexible solution offering maximum performance.



Image reproduced by kind permission of Mutter International, asset managers of 3 Hardman Square, Spinningfields, Manchester.

SYSION

OPEN



Specular **AJF, AJG**



Satin **RE, AAJ** Emergency **/EMI**



Multi-faceted reflector

PRODUCT CODE: MF **PHILIPS**

3000 K or 4000 K
Ra 80
Up to 4845 llm
Fixed output or Touch Dimming / DALI

PRODUCT CODE: AAB **TRIDONIC**

3000 K or 4000 K
Ra 80
Up to 3014 llm
Fixed output, SwitchDIM, DALI or DSI

This professional, high quality LED downlight has been designed with commercial spaces in mind, offering exceptional performance and flexibility. It features a highly effective heatsink and choice of reflector finishes, all expertly optimised to offer excellent luminaire efficacy. Also featuring an interchangeable die-cast twist and lock bezel, it is available with an extensive range of options and variants.

CONSTRUCTION


Heatsink	Extruded aluminium
Twist & lock bezel	Die-cast aluminium
Reflector	Anodised aluminium

FINISH

Heatsink	Black anodised
Twist & lock bezel	White, chrome or brushed aluminium

OPTIONS & ACCESSORIES

Emergency options
Decorative accessories
Tunable white



Full information at www.gamma-uk.com

or call **+44 (0)1924 482777**



SYSION

HI-LIGHT ACCESSORY



PRODUCT CODE: **MF** **PHILIPS**

3000 K or 4000 K
Ra 80
Fixed output or Touch Dimming / DALI

PRODUCT CODE: **AAB** **TRIDONIC**

3000 K or 4000 K
Ra 80
Fixed output, SwitchDIM, DALI or DSI

This aesthetically pleasing hi-light accessory, available in a variety of colours, has been designed to add visual interest to the ceiling. It is also used to soften the edges of the beam to create a pleasant diffused lighting effect.

CONSTRUCTION


Heatsink	Extruded aluminium
Twist & lock bezel	Die-cast aluminium
Reflector	Anodised aluminium

FINISH

Heatsink	Black anodised
Twist & lock bezel	White, chrome or brushed aluminium

OPTIONS & ACCESSORIES

Emergency options
Decorative accessories
Tunable white



Full information at www.gamma-uk.com

or call **+44 (0)1924 482777**



Image reproduced by kind permission of Muller International, asset managers of 3 Hardman Square, Spinningfields, Manchester.

SYSION

HALO ACCESSORY



Specular **AJF, AJG**



Satin **RE, AAJ**



Multi-faceted reflector

PRODUCT CODE: MF **PHILIPS**

3000 K or 4000 K
Ra 80
Fixed output or Touch Dimming / DALI

PRODUCT CODE: AAB **TRIDONIC**

3000 K or 4000 K
Ra 80
Fixed output, SwitchDIM, DALI or DSI

This vertical halo provides a stunning decorative addition to the Sysion range. Produced from injection moulded polycarbonate, with a frosted or optional blue finish, this accessory creates an attractive halo effect and a subtle horizontal glow, whilst providing maximum downward light output.

CONSTRUCTION


Heatsink	Extruded aluminium
Twist & lock bezel	Die-cast aluminium
Reflector	Anodised aluminium

FINISH

Heatsink	Black anodised
Twist & lock bezel	White, chrome or brushed aluminium

OPTIONS & ACCESSORIES

Emergency options
Decorative accessories
Tunable white



Full information at www.gamma-uk.com

or call **+44 (0)1924 482777**



SYSION

IP54 ACCESSORY



PRODUCT CODE: **MF** **PHILIPS**

3000 K or 4000 K
Ra 80
Fixed output or Touch Dimming / DALI

PRODUCT CODE: **AAB** **TRIDONIC**

3000 K or 4000 K
Ra 80
Fixed output, SwitchDIM, DALI or DSI

This functional yet elegant IP54 glass accessory is made from toughened safety glass providing protection against dust and water ingress. It is ideal for a range of applications including workshops, changing rooms and food preparation areas. In addition to the centre etched glass, other options and finishes are available.

CONSTRUCTION


Heatsink	Extruded aluminium
Twist & lock bezel	Die-cast aluminium
Reflector	Anodised aluminium

FINISH

Heatsink	Black anodised
Twist & lock bezel	White, chrome or brushed aluminium

OPTIONS & ACCESSORIES

Emergency options
Decorative accessories
Tunable white



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



SYSION

IP65 BEZEL



Specular **AJF, AJG**



Satin **RE, AAJ** Emergency **/EMI**



Multi-faceted reflector



PRODUCT CODE: MF **PHILIPS**

3000 K or 4000 K
Ra 80
Fixed output or Touch Dimming / DALI

PRODUCT CODE: AAB **TRIDONIC**

3000 K or 4000 K
Ra 80
Fixed output, SwitchDIM, DALI or DSI

This dedicated IP65 sealed bezel provides high quality protection against dust and water ingress. It features toughened safety glass or polycarbonate lens and a moulded U shaped Cyclone gasket. A great choice for a range of applications including bathrooms, wet rooms, food preparation areas and under-canopy locations.

CONSTRUCTION


Heatsink	Extruded aluminium
Twist & lock bezel	Die-cast aluminium
Reflector	Anodised aluminium

FINISH

Heatsink	Black anodised
Twist & lock bezel	White, chrome or brushed aluminium

OPTIONS & ACCESSORIES

Emergency options
Decorative accessories
Tunable white



Full information at www.gamma-uk.com

or call **+44 (0)1924 482777**



SYSION

LOW PROFILE BEZEL



PRODUCT CODE: AJE

PRODUCT VARIANTS:

3000 K or 4000 K
Ra 80
Up to 4113 llm
Fixed output or Touch Dimming / DALI

The AJE is a fusion between performance and discretion. Its low profile bezel has been designed to offer architects and specifiers an unobtrusive large diameter downlight that can be integrated into any application without compromising the visual effect of the space.

CONSTRUCTION


Heatsink	Aluminium
Bezel	Polyester powder coated mild steel
Reflector	Anodised aluminium

FINISH

Heatsink	Black
Bezel	White


OPTIONS & ACCESSORIES

Emergency options



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



OPEN
Page 59



IP65
Page 61



OPEN
Page 59



ASYMMETRIC
Page 63

TITAN




The Titan range of professional, large diameter LED downlights has been designed with spacious, open plan and high ceiling applications in mind. Providing ambient, display and perimeter lighting solutions, with a host of options and variants, the Titan range offers a world of possibilities for those seeking to enhance large open plan interiors.



TITAN

OPEN



PRODUCT CODE: **AJA**

PRODUCT VARIANTS:

3000 K or 4000 K

Ra 80

Up to 4113 llm

Fixed output or Touch Dimming / DALI

This professional, large diameter LED downlight has been designed to provide a simple yet effective lighting solution for large open spaces. It features a 237 mm die-cast bezel, highly efficient heatsink, multi-faceted reflector, LED module and optimised driver to provide high luminaire efficacy. With an extensive range of options and variants, Titan downlights offer great performance with added flexibility.

CONSTRUCTION


Heatsink	Aluminium
Bezel	Die-cast aluminium
Reflector	Anodised aluminium

FINISH

Heatsink	Black
Bezel	White

OPTIONS & ACCESSORIES

Emergency options
Decorative accessories



Full information at www.gamma-uk.com

or call **+44 (0)1924 482777**



TITAN

IP65 BEZEL



Anti-tamper fixings



Satin **AJJ**



Multi-faceted reflector



PRODUCT CODE: **AJA**

PRODUCT VARIANTS:

3000 K or 4000 K

Ra 80

Fixed output or Touch Dimming / DALI

This dedicated IP65 sealed bezel provides high quality protection against dust and water ingress. It features a toughened safety glass or polycarbonate lens and a moulded U shaped Cyclone gasket. A great choice for a range of applications including bathrooms, wet rooms, food preparation areas and under-canopy locations.

CONSTRUCTION


Heatsink	Aluminium
IP65 sealed bezel	Die-cast aluminium
Reflector	Anodised aluminium
Lens	Toughened safety glass or polycarbonate

FINISH

Heatsink	Black
IP65 sealed bezel	White

OPTIONS & ACCESSORIES

Emergency options
Decorative accessories



Full information at www.gamma-uk.com

or call **+44 (0)1924 482777**



TITAN

ASYMMETRIC



Satin etch reflector

PRODUCT CODE: IC

PRODUCT VARIANTS:

3000 K or 4000 K

Ra 80

Up to 3896 llm

Fixed output or Touch Dimming / DALI

Featuring a two part optical reflector, the IC has been designed to create a highly defined asymmetric distribution, ideal for accent, perimeter and wall wash lighting. It features a large 237 mm die-cast bezel, highly efficient heatsink, satin etched reflector, LED module and optimised driver providing high luminaire efficacy.

CONSTRUCTION


Heatsink	Aluminium
Bezel	Die-cast aluminium
Reflector	Anodised aluminium

FINISH

Heatsink	Black
Bezel	White


OPTIONS & ACCESSORIES

Emergency options



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



SS
Page 67

ABE
Page 69

ADB
Page 71



AEB
Page 73



ADJ
Page 75



ADA
Page 77

RECESSED



Our recessed luminaires are designed to bring flexibility to a contemporary lighting scheme. From slick and stylish to functional basics, the recessed range offers excellent light output and distribution values suitable for office, education and retail applications.



RECESSED SS

OPEN



PRODUCT CODE: SS **PHILIPS**

3000 K or 4000 K
Ra 80
Up to 5001 llm
Fixed output or Touch Dimming / DALI

PRODUCT CODE: AAC **TRIDONIC**

3000 K or 4000 K
Ra 80
Up to 3111 llm
Fixed output, SwitchDIM, DALI or DSI

This high-end LED downlight is ideal for general lighting in meeting rooms, board rooms and reception areas. Its on-trend square die-cast bezel makes it a perfect partner for slick linear blade luminaries. It incorporates a highly efficient heatsink and highly specular Miro reflector for exceptional light output and efficacy.

CONSTRUCTION


Heatsink	Aluminium
Bezel	Die-cast aluminium
Reflector	Anodised aluminium

FINISH

Heatsink	Black
Bezel	White

OPTIONS & ACCESSORIES

Emergency options
Decorative accessories
Tunable white




Full information at www.gamma-uk.com

or call +44 (0)1924 482777



RECESSED ABE

LIGHT BOX



PRODUCT CODE: ABE

PRODUCT VARIANTS:

3000 K or 4000 K

Ra 80

Up to 1326 llm

Fixed output, SwitchDIM, DALI or DSI

The ABE is the smallest product in our professional lightbox family, featuring a flat minimal bezel designed for a multitude of applications where function, performance and reliability are key. The homogeneous IP54 diffuser is backlit with LEDs rated at over 50,000 hours life.

CONSTRUCTION

Body / bezel	Polyester powder coated mild steel
Diffuser	Acrylic sealed to IP54


FINISH

Body / bezel	White
--------------	-------

OPTIONS & ACCESSORIES

Emergency options

Prismatic lens options



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



RECESSED ADB

LIGHT BOX



PRODUCT CODE: ADB

PRODUCT VARIANTS:

3000 K or 4000 K

Ra 80

600 x 600 mm - up to 3101 llm

1200 x 600 mm - up to 6200 llm

1200 x 1200 mm - up to 12403 llm

Fixed output, SwitchDIM, DALI or DSI

A professional range of light boxes, designed to offer freedom, fun and flair for creative and general lighting applications. Available in a selection of sizes, they feature a backlit design and come in a range of outputs and low glare versions to suit a host of interior designs.

CONSTRUCTION

Body	Mild steel
Diffuser	Acrylic sealed to IP54

FINISH


Body	White
------	-------

OPTIONS & ACCESSORIES

Emergency options

Prismatic lens options

Tunable white



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



RECESSED AEB

Q-MOD



PRODUCT CODE: AEB

PRODUCT VARIANTS:

3000 K or 4000 K

Ra 80

Up to 2397 llm

Fixed output, SwitchDIM, DALI or DSI

This distinctive modular luminaire has been designed to bring a modern linear look and feel to 600 x 600 modular ceilings, giving architects and specifiers the opportunity to mix and match for a dramatic effect. The Q-MOD combines high performance with flexibility to create bespoke patterns of light.

CONSTRUCTION


Body	Polyester powder coated mild steel
Diffuser	Acrylic sealed to IP44

FINISH

Body	White
------	-------

OPTIONS & ACCESSORIES

Emergency options



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



RECESSED ADJ

O-MOD



PRODUCT CODE: ADJ

PRODUCT VARIANTS:

3000 K or 4000 K

Ra 80

Up to 4842 llm

Fixed output, SwitchDIM, DALI or DSI

The O-MOD offers an innovative LED solution for those looking to add creative interest to modular ceilings. Featuring twin IP44 sealed diffusers, the O-MOD is available in high output and low glare variants to provide visual comfort in commercial and education environments.

CONSTRUCTION

Body	Polyester powder coated mild steel
Diffuser	Acrylic sealed to IP44

FINISH


Body	White
------	-------

OPTIONS & ACCESSORIES

Emergency options

Tunable white

Prismatic lens options




Full information at www.gamma-uk.com

or call +44 (0)1924 482777



RECESSED ADA

R-MOD



PRODUCT CODE: ADA

PRODUCT VARIANTS:

3000 K or 4000 K

Ra 80

600 x 600 mm - up to 5227 llm

1200 x 600 mm - up to 10454 llm

Fixed output, SwitchDIM, DALI or DSI

This powerful LED modular combines traditional aesthetics with great performance and great value for money. Designed with a high cut-off angle to maximise illumination on both the vertical and horizontal planes, the R-MOD is the ideal solution for the retail environment.

CONSTRUCTION


Body Polyester powder coated mild steel

FINISH

Body White

OPTIONS & ACCESSORIES

Emergency options



Full information at www.gamma-uk.com

or call +44 (0)1924 482777




FRAMELIGHT
Page 81



TWIN FRAMELIGHT
Page 83



TRIPLE FRAMELIGHT
Page 85



GIMBAL
Page 87



SCOOP
Page 89

GYRO



Designed with retail, hospitality and leisure applications in mind, the Gyro range offers flexible and adaptable solutions for both accent and ambient lighting. By incorporating high colour rendering and a selection of beam options, Gyro has something to suit each application.



GYRO

FRAMELIGHT



PRODUCT CODE: ABA

PRODUCT VARIANTS:

3000 K or 4000 K
Ra 80 or Ra 90
Up to 3281 llm
Fixed output, SwitchDIM, DALI or DSI

This fully adjustable single LED framelight offers a versatile solution for a host of display lighting applications, featuring a manoeuvrable light point that can be deep-installed within the frame. It is available with a choice of beam angles and in a variety of colourways, making it perfect for the retail environment.

CONSTRUCTION


Heatsink	Die-cast aluminium
Gimbal	Die-cast aluminium
Luminaire housing	Polyester powder coated mild steel
Reflector	Anodised aluminium

FINISH

Gimbal	Black or white
Bezel	Black or white

OPTIONS & ACCESSORIES

Emergency options
Narrow, medium or wide beam



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



GYRO

TWIN FRAMELIGHT



PRODUCT CODE: ABB

PRODUCT VARIANTS:

3000 K or 4000 K
Ra 80 or Ra 90
Up to 2 x 3281 llm
Fixed output, SwitchDIM, DALI or DSI

This fully adjustable twin LED framelight offers a versatile solution for a host of display lighting applications, featuring manoeuvrable light points that can be deep-installed within the frame. It is available with a choice of beam angles and in a variety of colourways, making it perfect for the retail environment.

CONSTRUCTION


Heatsinks	Die-cast aluminium
Gimbals	Die-cast aluminium
Luminaire housing	Polyester powder coated mild steel
Reflectors	Anodised aluminium

FINISH

Gimbals	Black or white
Bezel	Black or white

OPTIONS & ACCESSORIES

Emergency options
Narrow, medium or wide beam




Full information at www.gamma-uk.com

or call +44 (0)1924 482777



GYRO

TRIPLE FRAMELIGHT



PRODUCT CODE: ABC

PRODUCT VARIANTS:

3000 K or 4000 K
Ra 80 or Ra 90
Up to 3 x 3281 llm
Fixed output, SwitchDIM, DALI or DSI

This fully adjustable triple LED framelight offers a versatile solution for a host of display lighting applications, featuring manoeuvrable light points that can be deep-installed within the frame. It is available with a choice of beam angles and in a variety of colourways, making it perfect for the retail environment.

CONSTRUCTION


Heatsinks	Die-cast aluminium
Gimbals	Die-cast aluminium
Luminaire housing	Polyester powder coated mild steel
Reflectors	Anodised aluminium

FINISH

Gimbals	Black or white
Bezel	Black or white

OPTIONS & ACCESSORIES

Emergency options
Narrow, medium or wide beam



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



GYRO

GIMBAL



PRODUCT CODE: **GTS** **PHILIPS**

3000 K or 4000 K
Ra 80 or Ra 90
Up to 2827 llm
Fixed output or Touch Dimming / DALI

PRODUCT CODE: **GTT** **TRIDONIC**

3000 K, 4000 K
Ra 80 or Ra 90
Up to 3403 llm
Fixed output, SwitchDIM, DALI or DSI

Our professional gimbal downlight has been designed to adjust on a central pivot point, allowing adjustable illumination with only minimal visual impact. Featuring the latest technology from Philips or Tridonic, our gimbal ensures its adjustability, performance and efficacy remain first class.

CONSTRUCTION


Heatsink	Die-cast aluminium
Gimbal / bezel	Die-cast aluminium
Reflector	Anodised aluminium

FINISH

Heatsink	Black
Gimbal / bezel	White

OPTIONS & ACCESSORIES

Emergency option
Narrow, medium or wide beam
Tunable white



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



GYRO

SCOOP



PRODUCT CODE: **IH** **PHILIPS**

3000 K or 4000 K
Ra 80 or Ra 90
Up to 2614 llm
Fixed output or Touch Dimming / DALI

PRODUCT CODE: **II** **TRIDONIC**

3000 K or 4000 K
Ra 80 or Ra 90
Up to 3659 llm
Fixed output, SwitchDIM, DALI or DSI

Our die-cast scoop body, available with a clear or elliptical glass lens, encapsulates the LED module which is mounted centrally at the base of the dome reflector, which is spun from super-pure aluminium. This allows even light distribution in either a downlight or fully adjusted position.

CONSTRUCTION


Heatsink	Aluminium / copper
Luminaire body	Die-cast aluminium
Reflector	Anodised aluminium

FINISH

Luminaire body	White
----------------	-------


OPTIONS & ACCESSORIES

Emergency option



Full information at www.gamma-uk.com

or call **+44 (0)1924 482777**



LINGO®
Page 93

JINGO
Page 97

JANGO
Page 99



LINGO®
Page 95



JINGO
Page 97



JANGO
Page 99

TRACK



These popular track spotlights are suitable for use in a wide range of contemporary high-end applications. They combine impressive lumen outputs, great luminaire efficacy and high colour rendering, all in a variety of shapes, sizes and styles.



LINGO®

TRACK SPOT



PRODUCT CODE: LTS PHILIPS

3000 K or 4000 K
Ra 80 or Ra 90
Up to 4088 llm
Fixed output or DALI

PRODUCT CODE: LTT TRIDONIC

3000 K or 4000 K
Ra 80 or Ra 90
Up to 3281 llm
Fixed output or DALI

PRODUCT CODE: LTX XICATO

2700 K, 3000 K or 4000 K
Ra >80 or Ra >95
Up to 4166 llm
Fixed output or DALI

This fully adjustable track spotlight was developed to deliver maximum performance from its LED module. High output, long life, high colour rendering and DALI dimming are no problem for Lingo's heatsink and gear housing, which were both designed to have character, style and presence.

CONSTRUCTION


Heatsink / head	Die-cast aluminium
Gear housing	Die-cast aluminium
Reflector	Anodised aluminium
Track adaptor	Global Trac

FINISH

Heatsink	Gunmetal, white or black
Head / gear housing	White or black

OPTIONS & ACCESSORIES

Narrow, medium or wide beam
Artist, Vibrant or Beauty
3 circuit or Pulse track



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



LINGO®

TRACK SPOT



PRODUCT CODE: **LTS** **PHILIPS**

3000 K or 4000 K
Ra 80 or Ra 90
Up to 4088 llm
Fixed output or DALI

PRODUCT CODE: **LTT** **TRIDONIC**

3000 K or 4000 K
Ra 80 or Ra 90
Up to 3281 llm
Fixed output or DALI

PRODUCT CODE: **LTX** **XICATO**

2700 K, 3000 K or 4000 K
Ra >80 or Ra >95
Up to 4166 llm
Fixed output or DALI

This fully adjustable track spotlight was developed to deliver maximum performance from its LED module. High output, long life, high colour rendering and DALI dimming are no problem for Lingo's heatsink and gear housing, which were both designed to have character, style and presence.

CONSTRUCTION


Heatsink / head	Die-cast aluminium
Gear housing	Die-cast aluminium
Reflector	Anodised aluminium
Track adaptor	Global Trac

FINISH

Heatsink	Gunmetal, white or black
Head / gear housing	White or black


OPTIONS & ACCESSORIES

Narrow, medium or wide beam
Artist, Vibrant or Beauty
3 circuit or Pulse track



Full information at www.gamma-uk.com

or call **+44 (0)1924 482777**



JINGO

TRACK SPOT



PRODUCT CODE: AEJ

PRODUCT VARIANTS:

3000 K or 4000 K
Ra 80 or Ra 90
Up to 1788 llm
Fixed output or DALI

With a discreet profile, clean architectural styling and a vertically-mounted control gear housing, Jingo provides the flexibility of a track spot whilst complementing a simple and modern aesthetic. A highly efficient LED system offers a choice of lumen outputs and rendering and DALI dimming options, all available with a choice of body colours and beam angles.

CONSTRUCTION


Heatsink	Extruded aluminium
Head	Extruded aluminium
Gear housing	Die-cast aluminium
Reflector	Polycarbonate
Lens	Polycarbonate
Track adaptor	Global Trac

FINISH

Head / gear housing White or black

OPTIONS & ACCESSORIES

Narrow, medium or wide beam



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



JANGO

TRACK SPOT



PRODUCT CODE: AEA

PRODUCT VARIANTS:

3000 K or 4000 K
Ra 80 or Ra 90
Up to 1788 llm

With a discreet profile, clean architectural styling and a horizontally-mounted control gear housing, Jango provides the flexibility of a track spot whilst complementing a simple and modern aesthetic. A highly efficient LED system offers a choice of lumen outputs and rendering options, all available with a choice of body colours and beam angles.

CONSTRUCTION


Heatsink	Extruded aluminium
Head	Extruded aluminium
Gear housing	Die-cast aluminium
Reflector	Polycarbonate
Lens	Polycarbonate
Track adaptor	Global Trac

FINISH

Head / gear housing White or black

OPTIONS & ACCESSORIES

Narrow, medium or wide beam



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



DELA
Page 103



FREESTYLE®
Page 105



RAPIER®
Page 107



GYRO
Page 109



AJI
Page 111



DURO
Page 113

SURFACE




Our surface mounted luminaires offer a stylish, cost effective and energy efficient solution for projects where there is restricted access or no ceiling voids. With a selection of designs to choose from, each boasting a choice of features, options and accessories, our surface mounted luminaires may be adapted to suit a host of applications.



Any RAL colour

DELA

SURFACE CAN



PRODUCT CODE: **SMF**

PRODUCT VARIANTS:

3000 K or 4000 K
Ra 80
Up to 4113 llm
Fixed output or Touch Dimming / DALI

This powerful LED surface can provides a stylish ambient lighting solution for projects with restricted access or no ceiling voids. Expertly optimised using a highly efficient heatsink, Dela offers outstanding performance and luminaire efficacy, available with a choice of reflector styles and integral dimming options.

CONSTRUCTION


Heatsink	Aluminium
Luminaire housing	Spun aluminium
Reflector	Anodised aluminium

FINISH

Luminaire housing	White, black or grey
-------------------	----------------------


OPTIONS & ACCESSORIES

Emergency option
Decorative accessories
RAL body colour options




Full information at www.gamma-uk.com

or call **+44 (0)1924 482777**



FREESTYLE®

SURFACE LINEAR



PRODUCT CODE: ABD

PRODUCT VARIANTS:

3000 K or 4000 K
Ra 80
1260 mm - up to 2381 llm
1860 mm - up to 3348 llm
Fixed output, SwitchDIM, DALI or DSI

This surface mounted linear LED luminaire is an ideal energy efficient, long life alternative to T8 and T12 fluorescent fittings. Its 1260 mm or 1860 mm body, with a wide yet elegant profile, was designed to be an effective retrofit solution for traditional fittings with a similar contour. Available with integral presence detection, dimming and emergency options, the Freestyle linear is a truly graceful performer.

CONSTRUCTION


Body / gear tray	Mild steel
End caps	Acrylic
Diffuser	Acrylic

FINISH

Body / gear tray	White
End caps	Black

OPTIONS & ACCESSORIES

Emergency options
Presence detector options
RAL body colour options
Prismatic lens options




Full information at www.gamma-uk.com

or call +44 (0)1924 482777




RAPIER®

SURFACE LINEAR



White / Opal



Black / Opal



Grey / Opal

PRODUCT CODE: AED

PRODUCT VARIANTS:

3000 K or 4000 K
 Ra 80
 1150 mm - up to 2762 llm
 1570 mm - up to 3589 llm
 DALI

This ultra-modern LED blade luminaire is made from extruded aluminium and is available in 1150 mm or 1570 mm lengths. Its clean, minimal line design encapsulates an opal diffuser, making it a perfect choice for modern and contemporary applications. Also available are a micro-prism diffuser and a suspension kit option.

CONSTRUCTION


Body	Extruded aluminium
End caps	Aluminium
Diffuser	Opal acrylic

FINISH

Body	Grey, white or black
------	----------------------

OPTIONS & ACCESSORIES

Micro-prism diffuser
 Emergency options
 Suspension kit



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



GYRO SURFACE



PRODUCT CODE: AFJ

PRODUCT VARIANTS:

3000 K, 4000 K
Ra 80 or Ra 90
Up to 3019 llm
Fixed output, SwitchDIM, DALI or DSI

This is a range of fully adjustable surface mounted luminaires designed to bring flexibility to applications with limited or no ceiling voids. Available in a choice of colourways and featuring premium LED modules and optimised integral drivers, they ensure performance as well as versatility.

CONSTRUCTION


Heatsink(s)	Die-cast aluminium
Gimbal(s)	Die-cast aluminium
Luminaire housing	Polyester powder coated mild steel
Reflector(s)	Anodised aluminium

FINISH

Gimbal(s)	Black or white
Luminaire housing	Black or white

OPTIONS & ACCESSORIES

Narrow, medium or wide beam



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



AJI

SURFACE BULKHEAD



Wall mounted



Decorative bezel - Chrome



Ceiling mounted

PRODUCT CODE: **AJI**

PRODUCT VARIANTS:

3000 K or 4000 K

Ra 80

Up to 2618 llm

Fixed output, SwitchDIM, DALI or DSI

This polycarbonate bulkhead luminaire combines a simple and classic aesthetic with all the energy and life performance of LED technology. Featuring integral dimming, emergency and presence detection sensor options, it's ideal for applications such as stairwells and corridors.

CONSTRUCTION

Body	Polycarbonate
Diffuser	Opal polycarbonate
Decorative bezel	Pressed steel


FINISH

Body	White
Decorative bezel	White, chrome or brushed aluminium

OPTIONS & ACCESSORIES

Emergency options

Presence detector options

Full information at www.gamma-uk.comor call **+44 (0)1924 482777**



DURO

SURFACE VAPOUR-PROOF



Metal clips option



Detector option



IP65 IK10

PRODUCT CODE: ABI

PRODUCT VARIANTS:

3000 K or 4000 K
Ra 80
1200 mm - up to 4212 llm
1500 mm - up to 5265 llm
Fixed output, SwitchDIM, DALI or DSI

With an ingress protection of IP65 and an impact resistance rating of IK10, this anti-corrosive LED batten is ideal for use in utility-type applications such as car parks, workshops, storerooms and back of house areas. It features an integral opal light pipe for homogeneous output, a clear vapour-proof diffuser and flush polycarbonate quick-release fixing clips.

CONSTRUCTION


Body	Polycarbonate
Diffuser	Clear polycarbonate

FINISH

Body	Grey
------	------

OPTIONS & ACCESSORIES

Emergency options
Presence detector option
Suspension kit
45° wall fixing kit



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



DELA
Page 117



FREESTYLE®
Page 119



RAPIER®
Page 121



ECHO
Page 123



DEMO
Page 125




ID
Page 127

PENDANTS



Decorative and functional, the pendant range offers both visual appeal and great luminaire efficacy. Its array of additional features provides flexible lighting solutions that can be fine-tuned to help you achieve the desired ambience and visual impact in virtually any space.



DELA

PENDANT CAN



Specular **HE/SUS**



Satin **SRE/SUS**



Multi-faceted reflector

PRODUCT CODE: **SMF/SUS**

PRODUCT VARIANTS:

3000 K or 4000 K

Ra 80

Up to 4054 llm

Fixed output or Touch Dimming / DALI

This powerful LED pendant provides a stylish ambient lighting solution for projects with restricted access or no ceiling voids. Expertly optimised using a highly efficient heatsink, Dela offers outstanding performance and luminaire efficacy, available with a choice of reflector styles and integral dimming options.

CONSTRUCTION


Heatsink	Aluminium
Luminaire housing	Spun aluminium
Ceiling plate	Spun aluminium
Suspension	3 x 2 m steel wires
Reflector	Anodised aluminium

FINISH

Luminaire housing	White, black or grey
Ceiling plate	White, black or grey

OPTIONS & ACCESSORIES

Emergency option
Decorative accessories
RAL body colour options




Full information at www.gamma-uk.com

or call **+44 (0)1924 482777**



FREESTYLE®

LINEAR PENDANT



PRODUCT CODE: ABH

PRODUCT VARIANTS:

3000 K or 4000 K
Ra 80
1260 mm - up to 2374 llm
1860 mm - up to 3348 llm
Fixed output, SwitchDIM, DALI or DSI

This linear pendant LED luminaire is an ideal energy efficient, long life alternative to T8 and T12 fluorescent fittings. Its 1260 mm or 1860 mm body, with a wide yet elegant profile, was designed to be an effective retrofit solution for traditional fittings with a similar contour. Available with integral presence detection, dimming and emergency options, the Freestyle linear is a truly graceful performer.

CONSTRUCTION


Body / gear tray	Mild steel
End caps	Acrylic
Diffuser	Acrylic
Suspension	4 x 2 m steel wires

FINISH

Body / gear tray	White
End caps	Black

OPTIONS & ACCESSORIES

Emergency options
Presence detector options
Indirect uplight option
RAL body colour options
Prismatic lens options





Full information at www.gamma-uk.com

or call +44 (0)1924 482777



RAPIER®

LINEAR PENDANT



PRODUCT CODE: AEE

PRODUCT VARIANTS:

3000 K or 4000 K
 Ra 80
 1150 mm - up to 3653 llm
 1570 mm - up to 4989 llm
 DALI

This ultra-modern suspended direct / indirect LED blade luminaire is made from extruded aluminium and is available in 1150 mm or 1570 mm lengths. Its clean, minimal line design encapsulates an opal diffuser, making it a perfect choice for modern and contemporary applications.


Body	Extruded aluminium
End caps	Aluminium
Diffuser	Opal acrylic
Suspension	2 x 3 m steel wires

FINISH

Body	White, grey or black
End caps	White, grey or black

OPTIONS & ACCESSORIES

Micro-prism diffuser
 Emergency options



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



ECHO

PENDANT



PRODUCT CODE: AEF

PRODUCT VARIANTS:

4000 K
Ra 80
600 mm - 2615 llm
1200 mm - 5023 llm
Fixed output, SwitchDIM, DALI or DSI


These distinctive and contemporary LED rings make a superb choice for high-end modern interiors. Available in two sizes, our Echo pendants emit a diffused light through the opal acrylic diffuser to provide visual comfort and enhance the aesthetics of the application.

CONSTRUCTION

Body	Aluminium
Diffuser	Acrylic
Suspension	600 mm - 3 x 1.4 m steel wires 1200 mm - 4 x 1.4 m steel wires

FINISH

Body	White
------	-------



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



DEMO PENDANT



PRODUCT CODE: AEH

PRODUCT VARIANTS:

4000 K
Ra 80
600 mm - 4777 llm
1200 mm - 15703 llm
Fixed output, SwitchDIM, DALI or DSI


These ultra-modern professional decorative pendants can make a bold statement in any high-end, contemporary application. Available in two sizes, Demo pendants are characterised by their clean, smooth curves and even, diffused light emission. Powerful output and dimming options are also available.

CONSTRUCTION

Body	Aluminium
Diffuser	Acrylic
Suspension	600 mm - 3 x 1.4 m steel wires 1200 mm - 4 x 1.4 m steel wires

FINISH

Body	White
------	-------



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



ID

PENDANT



PRODUCT CODE: ID

PRODUCT VARIANTS:

3000 K or 4000 K
Ra 80
Up to 4844 llm
Fixed output or Touch Dimming / DALI

With its high performance prismatic refractor and optional conical lens, this stylish LED pendant delivers a modern, industrial touch to a host of applications, such as leisure, commercial and retail. The high output, highly efficient LED module and driver are encased in a modern gear housing, available in a variety of colours.

CONSTRUCTION


Heatsink	Aluminium
Luminaire housing	Spun aluminium
Ceiling plate	Spun aluminium
Suspension	3 x 2 m steel wires
Refractor	Clear polycarbonate

FINISH

Gear housing	White, black or grey
Ceiling plate	White, black or grey
Mesh	White, black or grey

OPTIONS & ACCESSORIES

Emergency option
5 m suspension option
Sealed conical lens




Full information at www.gamma-uk.com

or call +44 (0)1924 482777



TERCIO
Page 131



VIRO
Page 133



ABF
Page 135



DECO TAPE
Page 141



ABG
Page 137



DECO DOME
Page 139

DECORATIVE



With a range of traditional and contemporary designs to choose from, our decorative luminaires provide high quality lighting solutions to suit many interior styles and applications.



TERCIO

DECORATIVE WALL LIGHT



PRODUCT CODE: TLW

PRODUCT VARIANTS:

3000 K or 4000 K
Ra 80
Up to 332 llm
Fixed output, SwitchDIM, DALI or DSI



This well designed LED wall light features an elegant decorative diffuser and central steel fascia with a variety of styles available. It boasts a range of emergency and dimming options, ensuring the Tercio delivers on performance and function as well as style.

CONSTRUCTION


Gear tray	Mild steel
Fascia panel	Mild steel
Diffuser	Acrylic

FINISH

Gear tray	Black
Fascia panel	Pewter

OPTIONS & ACCESSORIES

Emergency options
Bespoke laser cut fascia panels



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



VIRO

DECORATIVE WALL LIGHT



PRODUCT CODE: AEC

PRODUCT VARIANTS:

3000 K or 4000 K
Ra 80
Up to 2130 llm
Fixed output


This elegant LED wall light has been designed to complement modern interiors across a host of applications. Its simple yet sophisticated style and soft bidirectional illumination make it suitable for vertical or horizontal mounting. Viro is every bit as high in quality, performance and efficacy as it is appealing to look at.

CONSTRUCTION

Body	Mild steel
Diffuser	Acrylic

FINISH

White or black



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



ABF

DECORATIVE PENDANT



PRODUCT CODE: ABF

PRODUCT VARIANTS:

2700 K or 2200 - 2700 K
Ra 80
Up to 495 llm
Fixed output or warm dim

This classic pendant is a design icon. Available with the choice of a retro style filament LED lamp or warm dimming LED lamp, it has been created to enhance visual appeal across various applications and settings. A choice of colourways and cable options make the ABF an adaptable solution to suit any interior design scheme.

CONSTRUCTION


Shade	Spun aluminium
Ceiling cup	Spun aluminium

FINISH

Shade	Black satin, grey satin or red gloss exterior / white matt interior
Ceiling cup	Black satin, grey satin or red gloss
Cable	Black

OPTIONS & ACCESSORIES

Coloured cable options
RAL body colour options



Retro style LED filament lamp



Warm dimming LED lamp


Full information at www.gamma-uk.com

or call +44 (0)1924 482777



ABG

DECORATIVE PENDANT



PRODUCT CODE: ABG

PRODUCT VARIANTS:

3000 K or 4000 K
Ra 80
Up to 1409 llm
Fixed output, SwitchDIM, DALI or DSI

Available in a wide choice of colours, this retro style pendant has been designed to enhance the visual impact of any lighting scheme. Its LED system has been engineered for high performance and exceptional efficacy whilst the integral high-transmission diffuser provides homogeneous illumination.

CONSTRUCTION


Shade	Mild steel
Suspension	2 x steel wires - adjustable to 2 m

FINISH

Shade	Black satin, grey satin or red gloss exterior / white matt interior
Cable	Black

OPTIONS & ACCESSORIES

Coloured cable options
RAL body colour options




Full information at www.gamma-uk.com

or call +44 (0)1924 482777



DECO DOME

DECORATIVE



PRODUCT CODE: ADF

PRODUCT VARIANTS:

3000 K or 4000 K
Ra 80
Up to 1546 llm
Fixed output, SwitchDIM, DALI or DSI

This professional decorative LED luminaire combines traditional aesthetics with all the benefits of LED technology. Available with dimming and emergency options, it features a semi-opaque glass diffuser with a subtle marble effect and it can be ceiling or wall mounted.

CONSTRUCTION


Diffuser	Glass with a subtle marbling effect
Gear tray	Pressed steel

FINISH

Gear tray	White
Glass retainers	Chrome

OPTIONS & ACCESSORIES

Emergency options
Spacer ring for mounting on solid surfaces




Full information at www.gamma-uk.com

or call +44 (0)1924 482777



DECO TAPE

DECORATIVE



PRODUCT CODE: ADE

Kits consist of 4.8 m reel of LED tape, driver and 10 x supply leads.

PRODUCT VARIATIONS

3000 K or 4000 K

Ra 80

Up to 1530 lm/m

Fixed output, SwitchDIM, DALI or DSI

This flexible and adaptable LED tape is ideal for ambient luminescence and can add another dimension to a lighting scheme. Used in coving, shelves and perimeters, the tape is easy to cut to size and features a bending radius down to 30 mm, providing an adaptable solution to transform any application.



Full information at www.gamma-uk.com

or call +44 (0)1924 482777



I.L.E.M.
Page 145

S.P.C. TO LUMINAIRE
Page 147

EM CONVERSION
Page 149



EMi CONVERSION
Page 151



SIGNAGE
Page 153

EMERGENCY




With a multitude of options to suit the requirements of each individual project and application, our emergency range will assist in ensuring the lighting scheme complies with the required standards without compromising the look and feel of the interior design.



Gamma Illumination is a member of ICEL, the Industry Committee for Emergency Lighting.



I.L.E.M. EMERGENCY



Clip-in. Graphite, 60° beam



I.L.E.M.



Stand alone. White, Open area lens

Stand alone. White, Corridor lens

PRODUCT CODE: ILEM

STAND ALONE PRODUCT VARIANTS:

Edison EDEW LED
6000 K
Up to 200 llm
Standard, self-test or EM-Pro
Open area or corridor lens

CLIP IN PRODUCT VARIANTS:

Luxeon Rebel ES LED
6000 K
Up to 153 llm
Standard, self-test or EM-Pro
60° or 110° beam

Our 'Independent LED Emergency Module' is an ideal companion to any emergency lighting scheme. It is available as a stand-alone body that can be positioned anywhere without the need for a master luminaire or a clip-in body for integration into a master luminaire. It contains a green LED indicator and a separate high output white LED for emergency mode operation.

CONSTRUCTION


Body	Die-cast aluminium
Batteries	NiCad (Standard & self-test) or NiMH (EM-Pro)

FINISHES

Stand alone	White, black or silver
Clip-in	Graphite

OPTION

IP54 (stand-alone only)




Full information at www.gamma-uk.com

or call +44 (0)1924 482777



S.P.C. EMERGENCY



PRODUCT CODE: /SPC

STAND ALONE PRODUCT VARIANTS:

Edison EDEW LED
6000 K
Up to 200 llm
Standard, self-test or EM-Pro
Open area or corridor lens

CLIP IN PRODUCT VARIANTS:

Luxeon Rebel ES LED
6000 K
Up to 153 llm
Standard, self-test or EM-Pro
60° or 110° beam

The 'Single Point Connection' option is offered on a variety of our luminaires. It was developed to be an easy, competitive way of converting a standard luminaire to emergency by utilising an I.L.E.M. module. The mains leads of both luminaire and I.L.E.M. are connected via a plug and socket creating a single point connection for installation.

CONSTRUCTION

Body	Die-cast aluminium
Batteries	NiCad (Standard & self-test) or NiMH (EM-Pro)

FINISHES

Stand alone	White, black or silver
Clip-in	Graphite


Full information at www.gamma-uk.com

or call +44 (0)1924 482777



EM CONVERSION

REMOTE INDICATOR



PRODUCT CODE: /EM

PRODUCT VARIANTS:


Standard, self-test or EM-Pro

A traditional professional emergency conversion of an LED luminaire, featuring an inverter, 3 hour batteries and remote LED indicator, which is perfect for easily identifying the operational status of the emergency fitting during inspection and testing.

CONSTRUCTION

Indicator
Batteries

Injection moulded polycarbonate
High capacity NiCad cells




Full information at www.gamma-uk.com

or call +44 (0)1924 482777



EMi CONVERSION

INTEGRAL INDICATOR



PRODUCT CODE: /EMi

PRODUCT VARIANTS:

Standard, self-test or EM-Pro

A traditional, professional emergency conversion of an LED luminaire, featuring an inverter, 3 hour batteries and integral LED indicator, popular with architects and specifiers who require a discreet solution that doesn't compromise the aesthetics of the application.


CONSTRUCTION

Batteries

High capacity NiCad cells

Full information at www.gamma-uk.com

or call +44 (0)1924 482777



EMERGENCY SIGNAGE



PRODUCT CODE: **LX5002**

PRODUCT VARIANTS:

3 hours maintained or non-maintained operation

This reliable and contemporary LED exit sign is compliant with BS and ISO standards. It features an acrylic legend and high output LEDs, encased in a durable aluminium housing with a stylish satin finish. With a range of variants and options, this emergency sign can be tailored to complement any emergency lighting scheme.

CONSTRUCTION


Gear housing	Extruded aluminium
Legend panel	Acrylic, arrow down legend
Light source	15 high intensity LEDs

FINISH

Gear housing	Brushed aluminium
--------------	-------------------

OPTIONS & ACCESSORIES






Arrow left / right reversible legend panel
Custom legend panels available to order
Self-test versions












































Full information at www.gamma-uk.com

or call +44 (0)1924 482777

LUMINAIRE INDEX

CODE	PAGES	LUMINAIRE RANGE	LUMINAIRE NAME	LUMINAIRE DESCRIPTION
AAB	45 - 53	 SYSION	SYSION AAB	195 mm LED downlight - Multi-faceted reflector - Tridonic
AAC	67	 RECESSED	AAC	170 x 170 mm LED downlight - Specular reflector - Tridonic
AAJ	45 - 53	 SYSION	SYSION AAJ	195 mm LED downlight - Satin reflector - Tridonic
ABA	81	 GYRO	GYRO ABA	189 x 189 mm single LED framelight
ABB	83	 GYRO	GYRO ABB	189 x 348 mm twin LED framelight
ABC	85	 GYRO	GYRO ABC	189 x 504 mm triple LED framelight
ABD	105	 SURFACE	FREESTYLE® ABD	Surface mounted LED linear
ABE	69	 RECESSED	ABE	244 x 244 mm LED light box
ABF	135	 DECORATIVE	ABF	Retro style LED pendant
ABG	137	 DECORATIVE	ABG	Linear LED pendant
ABH	119	 PENDANTS	FREESTYLE® ABH	Linear LED pendant
ABI	113	 SURFACE	DURO ABI	IP65 / IK10 LED batten
ACA	25	 TOPAZ	TOPAZ ACA	85 mm asymmetric LED downlight
ACA	27	 TOPAZ	TOPAZ ACA TRIMLESS	81 mm trimless asymmetric LED downlight
ACB	21	 TOPAZ	TOPAZ ACB	85 x 85 mm LED downlight
ACB	23	 TOPAZ	TOPAZ ACB TRIMLESS	81 x 81 mm trimless LED downlight
ACC	21	 TOPAZ	TOPAZ ACC	85 x 85 mm asymmetric LED downlight
ACC	23	 TOPAZ	TOPAZ ACC TRIMLESS	81 x 81 mm trimless asymmetric LED downlight
ACD	17	 SYNCRO	SYNCRO ACD	LED module
ACJ	25	 TOPAZ	TOPAZ ACJ	85 mm LED downlight
ACJ	27	 TOPAZ	TOPAZ ACJ TRIMLESS	81 mm trimless LED downlight
ADA	77	 RECESSED	R-MOD	R-MOD LED modular
ADB	71	 RECESSED	ADB	600 x 600 mm LED modular light box
ADC	71	 RECESSED	ADC	1200 x 1200 mm LED modular light box
ADE	141	 DECORATIVE	DECO TAPE	LED tape
ADF	139	 DECORATIVE	DECO DOME	Ceiling / wall mounted decorative LED luminaire
ADG	31 - 41	 GREAT WHITE®	ADG	130 mm LED downlight - Satin reflector - Tunable white
ADH	45 - 53	 SYSION	ADH	195 mm LED downlight - Satin reflector - Tunable white
ADI	15	 SYNCRO	SYNCRO ADI	85 mm IP65 / FR90 LED downlight
ADJ	75	 RECESSED	O-MOD	Decorative LED modular
AEA	99	 TRACK	JANGO	LED track spotlight
AEB	73	 RECESSED	Q-MOD	Decorative LED modular
AEC	133	 DECORATIVE	VIRO AEC WALL LIGHT	Decorative LED wall mounted up/downlight
AED	107	 SURFACE	RAPIER® AED	LED surface linear
AEE	121	 PENDANTS	RAPIER® AEE PENDANT	LED linear pendant
AEF	123	 PENDANTS	ECHO AEF PENDANT	Decorative LED pendant
AEH	125	 PENDANTS	DEMO AEH PENDANT	Decorative LED pendant
AEI	109	 SURFACE	GYRO AEI	Surface mounted LED framelight
AEJ	97	 TRACK	JINGO	LED track spotlight
AFA	109	 SURFACE	GYRO AFA	Surface mounted twin LED framelight
AFJ	109	 SURFACE	GYRO AFJ	Surface mounted LED framelight
AJA	59 - 61	 TITAN	TITAN AJA	237 mm LED downlight - Multi-faceted reflector

CODE	PAGE	LUMINAIRE RANGE	LUMINAIRE NAME	LUMINAIRE DESCRIPTION
AJC	55	 SYSION	SYSION AJC	189 mm low profile LED downlight - Satin reflector
AJE	55	 SYSION	SYSION AJE	189 mm low profile LED downlight - Multi-faceted reflector
AJF	45 - 53	 SYSION	SYSION AJF	195 mm LED downlight - Specular reflector - Philips
AJG	45 - 53	 SYSION	SYSION AJG	195 mm LED downlight - Specular reflector - Tridonic
AJH	55	 SYSION	SYSION AJH	189 mm low profile LED downlight - Specular reflector
AJI	111	 SURFACE	AJI	Ceiling / wall mounted LED bulkhead
AJJ	59 - 61	 TITAN	TITAN AJJ	237mm LED downlight - Satin reflector
FC	9	 SYNCRO	SYNCRO FC	LED display light
FD	11	 SYNCRO	SYNCRO FD	Single / Twin / Triple LED display light
FE	13	 SYNCRO	SYNCRO FE	Single / Twin LED display light
GTS	87	 GYRO	GTS	186mm LED gimbal - Philips
GTT	87	 GYRO	GTT	186mm LED gimbal - Tridonic
HE	103	 SURFACE	DELA HE	LED surface downlight - Specular reflector
HE/SUS	117	 PENDANTS	DELA HE PENDANT	LED pendant - Specular reflector
IC	63	 TITAN	TITAN IC	237mm asymmetric LED downlight - Satin reflector
ID	127	 PENDANTS	ID	LED pendant
IH	89	 GYRO	IH	186mm LED scoop - Philips
II	89	 GYRO	II	186mm LED scoop - Tridonic
I.L.E.M.	145	 EMERGENCY	I.L.E.M.	Independent LED Emergency Module
LTS	93 - 95	 TRACK	LINGO® LTS	LED track spotlight - Philips
LTT	93 - 95	 TRACK	LINGO® LTT	LED track spotlight - Tridonic
LTX	93 - 95	 TRACK	LINGO® LTX	LED track spotlight - Xicato
LXS	153	 EMERGENCY	-	LED emergency signage
MF	45 - 53	 SYSION	SYSION MF	195 mm LED downlight - Multi-faceted reflector - Philips
RE	45 - 53	 SYSION	SYSION RE	195 mm LED downlight - Satin reflector - Philips
SMF	103	 SURFACE	DELA SMF	LED surface downlight - Multi-faceted reflector
SMF/SUS	117	 PENDANTS	DELA SMF PENDANT	LED pendant - Multi-faceted reflector
S.P.C.	147	 EMERGENCY	S.P.C.	Single Point Connection to I.L.E.M.
SRE	103	 SURFACE	DELA SRE	LED surface downlight - Satin reflector
SRE/SUS	117	 PENDANTS	DELA SRE PENDANT	LED pendant - Satin reflector
SS	67	 RECESSED	SS	170 x 170 mm LED downlight - Specular reflector - Philips
TLW	131	 DECORATIVE	TERCIO TLW	Decorative LED wall light
TTS	31 - 41	 GREAT WHITE®	TTS	130 mm LED downlight - Multi-faceted reflector - Philips
TTS-SA	31 - 41	 GREAT WHITE®	TTS-SA	130 mm LED downlight - Satin reflector - Philips
TTS-SP	31 - 41	 GREAT WHITE®	TTS-SP	130 mm LED downlight - Specular reflector - Philips
TTT	31 - 41	 GREAT WHITE®	TTT	130 mm LED downlight - Multi-faceted reflector - Tridonic
TTT-SA	31 - 41	 GREAT WHITE®	TTT-SA	130 mm LED downlight - Satin reflector - Tridonic
TTT-SP	31 - 41	 GREAT WHITE®	TTT-SP	130 mm LED downlight - Specular reflector - Tridonic
TTX	31 - 41	 GREAT WHITE®	TTX	130 mm LED downlight - Multi-faceted reflector - Xicato
TTX-SA	31 - 41	 GREAT WHITE®	TTX-SA	130 mm LED downlight - Satin reflector - Xicato
TTX-SP	31 - 41	 GREAT WHITE®	TTX-SP	130 mm LED downlight - Specular reflector - Xicato



Please feel free to contact us

www.gamma-uk.com

+44 (0)1924 482777

sales@gamma-uk.com





GAMMA[®]
ILLUMINATION

Gamma Illumination
Thornhill Road Business Park
Tenter Fields
Dewsbury
West Yorkshire
WF12 9QT

+44 (0)1924 482777
sales@gamma-uk.com
www.gamma-uk.com